



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|-----------------|-------------|----------------------|---------------------|------------------|
|-----------------|-------------|----------------------|---------------------|------------------|

10/582,129

10/24/2006

Alan Kerdraon

4163.04WOUS

8767

24113 7590 10/06/2010
PATTERSON THUENTE CHRISTENSEN PEDERSEN, P.A.
4800 IDS CENTER
80 SOUTH 8TH STREET
MINNEAPOLIS, MN 55402-2100

EXAMINER

CHRISTENSEN, SCOTT B

ART UNIT

PAPER NUMBER

2444

MAIL DATE

DELIVERY MODE

10/06/2010

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

| | | | |
|------------------------------|--------------------------------------|--|--|
| Office Action Summary | Application No. 10/582,129 | Applicant(s) KERDRAON ET AL. | |
| | Examiner Scott Christensen | Art Unit 2444 | |

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 8/9/2010.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-6 and 16-27 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-6 and 16-27 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. This Office Action is in regard to the most recent papers filed on 8/9/2010.
2. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 7/9/2010 has been entered.

Response to Arguments

3. Applicant's arguments with respect to claims 1-6 and 16-27 have been considered but are moot in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 1, 3-5, 16-18, and 22-23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Day, Rosenberg and Sugano in RFC 2778, "A Model for Presence

and Instant Messaging" from February 2000, hereafter referred to as "RFC2778" in view of Liscano et al. in US 7,516,210, hereafter referred to as "Liscano."

6. With regard to claim 1, RFC2778 discloses a method for coordinating telecommunication services provided to a plurality of users via at least one communications terminal connected to at least one telecommunications network, wherein a service mediation server coordinates processing operations performed by the telecommunication services on behalf of the user, the method comprising:

- connecting the telecommunication services to the service mediation server;
- specifying, by each of the telecommunications services, at least one event of which the telecommunications service is to be notified by the service mediation server and at least one event which the telecommunications service is capable of transmitting to the service mediation server (RFC2778: Page 3, Figure 1 and Page 1, section 1. The Watchers can subscribe to be informed of the presence of a presentity. The action of subscribing specifies that the watcher wishes to be informed of any changes in state. It is noted that the instant language, as currently presented, does not require that the events are different events, and only requires that the events are specified, but does not require that any information is provided concerning the capability of transmitting by the telecommunications services. Rather, the event has to be one which the telecommunications service is capable of transmitting to the service mediation server. Further, there is no requirement as to what constitutes an "event." For example, an event could simply be sending the information to the server, or could the event could be information pertaining to the user (such as the user has come online.).),

connecting the at least one telecommunications terminal a user to the service mediation server (RFC2778: Page 4. The presentity connects to the presence server.);

defining, via the at least one telecommunications terminal, at least one user profile, the at least one user profile, the at least one user profile comprising a record of data concerning the user (RFC2778: Page 6), the data including at least a list of telecommunications services to which the user has subscribed from among a plurality of available telecommunications services to which the user has subscribed from among a plurality of available telecommunications services (RFC2778: Page 2, section 2, Page 5, Section 2.4, and Page 6. The user provides the presence information according to section 2. According to section 2.4, the presence information includes an "arbitrary number of elements, called PRESENCE TUPLES." Each presence tuple includes "COMMUNICATION MEANS," where the one that is focused on in RFC2778 is "INSTANT MESSAGE SERVICE," meaning that the communication means refers to a service. Thus, the presence information provides a list of services "COMMUNICATION MEANS," where the list of services is of an arbitrary amount (As there is an arbitrary number of presence tuples. It is noted that the instant claim includes the language "from among a plurality of available telecommunications services. However, there is no requirement as to how these are selected, or that the list only includes the available services. Applicant should provide more detail as to how the list is selected.), and at least one availability mode corresponding to an activity of the user (RFC2778: Page 5, section 2.4, and Page 6. The user provides the status information to the presence server, where the status corresponds to an activity.);

transmitting, from the telecommunications terminals to the server mediation server, the at least one user profile including an availability mode (RFC2778: Page 6. The presence tuples each include a status.);

storing the at least one user profile in a database of the mediation server (RFC2778: Page 2, section 2.1. The presence information is to be stored.)

selecting, via the at least one telecommunications terminal of the user, one of the at least one user profile and an availability mode stored in the database as an active user profile and availability mode (RFC2778: page 5, section 2.4. The presence information, which constitutes a “user profile” is sent to the presence server. As this is the user profile, this is selected to be activated. It is noted that the claim language only requires "at least one user profile," meaning that when there is only one user profile, and that user profile is always used, then the user profile is always selected.);

accessing, by the at least one telecommunications terminal, at least one of the connected telecommunications services (RFC2778: Page 4, step 3b; page 9, access rules, page 6, and Page 12, presentity. The presentity connects to the presence server to declare the status of the presence server. Information of the presentity is stored in a “Presence Tuple” at the presence server.);

determining, by the service mediation server a state of connectability of the user based on whether at least one telecommunications terminal is connected to the service mediation server, and the active user profile and availability mode (RFC2778: Page 2, Section 2.1);

transmitting, from the service mediation server to the at least one telecommunications terminal, the state of connectability of contacts in a list that is part of the active user profile of the user (RFC2778: Page 3 and Page 9, section 2.7. The terminal is notified of the status of any presentities that the terminal subscribed to.); and

transmitting, for each event received from a telecommunications service, an event notification from the service mediation server to a telecommunication service having specified that the telecommunications service is to be notified of the event (RFC2778: Page 3, Figure 1, and page 1, section 1. The services that subscribed to a presentity is notified of the presentity's status when the status changes.).

RFC2778 does not appear to specifically disclose defining information about the at least one telecommunications terminal of the user, the information including a capacity of the at least one telecommunications terminal.

However, Liscano teaches role-based presence information (Liscano: Abstract). The role shows the capacity that the user is acting in (Liscano: Column 4, lines 1-6). As The user's presence can only be detected through a terminal, the role of the user is equivalent to the capacity of the terminal.

Accordingly, it would have been obvious to modify RFC2778 to allow for the defining of information about the at least one telecommunications terminal of the user, the information including a capacity of the at least one telecommunications terminal.

The suggestion/motivation for doing so would have been that by allowing the user's role, and thus the capacity of the terminal, to be defined, presence information can be subscribed to based on this information. For example, if a user is at work, the

Art Unit: 2444

user may not be available in a personal role, but would be available in some sort of professional role. Meanwhile, a user at home may not be available in the professional role, but would be available in a personal role. By allowing this role information to be defined, the user may express availability based on what kind of tasks and communications the user is able to perform without having the user establish different profiles for each role.

7. With regard to claim 3, RFC2778 as modified by Liscano teaches that each availability mode defined by a user also includes availability rules specifying periods in which the availability mode is active (RFC2778: Page 9, "ACCESS RULES").

8. With regard to claim 4, RFC2778 as modified by Liscano teaches that the state of connectability of each user determined by the mediation server can be in one of the following states:

connectable if the active availability mode for the user is in the available state and if at least one user terminal is connected to the service mediation server (RFC2778: Page 5, Section 2.4. If the user is connected to the mediation server (presence server), and the user is reported as online, the user is connectable. Further, to anticipate the instant claim, only one of the states needs to be disclosed, as the claim states, "the connectability state"... "can be in **one** of the following states."),

not connectable if no user is connected to the mediation server (RFC2778: Page 5, section 2.4),

access to the connectability state subject to authorisation if the user wants his/her connectability state to be provided to other users only with his/her prior authorisation,

in transfer if the user specified that incoming calls intended for him/her must be transferred to a call number specified in the active availability mode (RFC2778: Page 5, section 2.4. It is noted that the “call number” does not have to be different than the standard call number of the user. Thus, the online state meets this limitation.),

unknown if the requested user is not registered with the service mediation server or if he/she does not want his/her connectability state to be accessible.

9. With regard to claim 5, RFC2778 as modified by Liscano teaches that the transmission of event notifications by the service mediation server is carried out upon request of each connected service (RFC2778: Page 3. The presentities and watchers have to connect to the presence server, and the watchers have to request the information.).

10. With regard to claim 16, the instant claim is substantially similar to claim 1, and is rejected for substantially similar reasons.

11. With regard to claim 17, RFC2778 as modified by Liscano teaches an identification/authentication module adapted to identify and authenticate users that

Art Unit: 2444

attempt to access the service mediation system or select a telecommunications system (RFC2778: Page 6. The users are at least identified by the presence tuple.).

12. With regard to claim 18, RFC2778 as modified by Liscano teaches an interface module (RFC2778: Page 8. The presence service is accessed via the network, meaning that the system executing the presence service includes some interface to the network) adapted:

to provide access to the telecommunications server by the at least one telecommunications network (RFC2778: Page 8. The presence service is accessed by the network.),

and to receive processing requests from the at least one telecommunications services or users (RFC2778: Page 8. The presence service receives requests for the presence and receives status updates.),

to retransmit the processing requests to a component of the telecommunications server responsible for performing a requested operation (RFC2778: Page 8. The interface receives the request via the network, and transmits it to the program that executes the service.), and

to transmit a response from the component of the telecommunication server in response to the processing request (RFC2778: Page 8. The interface receives the response to the request and transmits it to the destination.).

Art Unit: 2444

13. With regard to claim 22, RFC2778 teaches that the at least one telecommunication network is selected from the group consisting of: a terrestrial telephone network, a cellular telephone network, and a computer network (the network of RFC2778 at least constitutes a “computer network.”).

14. With regard to claim 23, the instant claim includes subject matter that is substantially similar to that found in claim 1, and is rejected for substantially similar reasons.

Claim Rejections - 35 USC § 103

15. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

16. Claims 2, 6, and 19-21 are rejected under 35 U.S.C. 103(a) as being unpatentable over RFC2778.

17. With regard to claim 2, RFC2778 as modified by Liscano teaches that each availability mode defined by a user includes:

an availability state capable of having the values of available, not available, in call transfer to a specified call number (RFC2778: Page 5, Section 2.4. “in call transfer to a specified call number,” as claimed, does not require that the number is a different number than the user’s normal number. Thus, the user’s regular number, and thus

Art Unit: 2444

“available” is equivalent to “in call transfer to a specified call number,” as the presence is with respect to a “specific call number,” and any call that is made is transferred to the destination.),

an optional terminal identifier to which an incoming call intended for the user is transferred (RFC2778: Page 5, Section 2.4. First, the term "optional" means that this limitation is not required to anticipate or teach the instant claim. Second, the call is transferred to the user's contact address.),

an event notification mode (RFC2778: Page 14, watcher and watcher information).

RFC2778 does not appear to disclose expressly:

an availability list capable of having the values of an unknown number if the user does not want his/her availability state to be accessible, and

a list of contacts to which the availability state applies.

However, Official Notice (see MPEP 2144.03) is taken that a person of ordinary skill in the art would have known how to allow the user to be "invisible" to other users (an availability list capable of having the values of an unknown number if the user does not want his/her availability state to be accessible) and have different availabilities for different contacts (a list of contacts to which the availability state applies).

Thus, it would have been obvious to have: an availability list capable of having the values of an unknown number if the user does not want his/her availability state to be accessible, and a list of contacts to which the availability state applies in the disclosure of RFC2778.

The suggestion/motivation for doing so would have been that many user's prefer to have some control over their settings to allow for privacy. Thus, a user may wish to be "invisible," thus not allowing the user's state to be known, or have different states for different users. The different states for different users allows some other users to essentially be blocked, where the user does not wish to be contacted by the other users, yet desirable users would still see the user as being available. It is noted that some collaboration tools on the market already perform this functionality, such as AOL Instant Messenger, where users may be blocked (thus reporting the user of the system as being unavailable), or allows the user to be invisible (which allows the user to be online without the user's status being known to others).

18. With regard to claim 6, RFC2778 as modified by Liscano teaches that the transmission of an event notification by the service mediation server is performed upon receipt of the event if the service is connected (RFC2778: Page 3, Figure 1. However, RFC2778 does not appear to disclose expressly that otherwise, the event is stored in a log and is notified to the service when the latter connects to the service mediation server.

However, Official Notice is taken a person of ordinary skill in the art would have known how to store a message for a user when the user is not connected for later delivery.

Thus, it would have been obvious to have the event is stored in a log and is notified to the service when the latter connects to the service mediation server.

The suggestion/motivation for doing so would have been that even notifications intended for the service can be delivered to the service when the service is temporarily disabled.

19. With regard to claim 19, RFC2778 as modified by Liscano teaches the invention as substantially claimed except that the interface module comprises a plurality of duplicate components to provide fault tolerance.

However, Official Notice is taken that utilizing duplicates to allow for fault tolerance was well known in the art.

Accordingly, it would have been obvious to include a plurality of duplicate components to provide fault tolerance.

The suggestion/motivation for doing so would have been that providing duplicate components allows one of the duplicates to be utilized in situations where a component fails. This allows the service to continue to be operational even when a component fails.

20. With regard to claim 20, RFC2778 teaches as modified by Liscano teaches an access monitor including:

a component configured to connect and disconnect a telecommunications terminal to the telecommunications server (RFC2778: Page 3 and page 8. The user can connect their terminal to the mediation server and disconnect it.),

a component configured to connect and disconnect a telecommunications service and the telecommunications server (RFC2778: Page 3, page 8. The user can connect to the mediation server as a watcher.),

a component configured to select a user profile and an availability mode in the user profile to be activated, means for selecting events of which the user wants to be notified of the appearance (RFC2778: Section 2.1. The presentities report their status to the server, and provides the information included in the presence tuple on page 6.), and

a component configured to select a telecommunications terminal to receive an incoming call (RFC2778: Page 6, contact address).

However, RFC2778 does not appear to disclose expressly:

a component configured to manage, in real time, the telecommunications services activated for the user.

However, RFC2778 does appear to be intended to be implemented on computer systems. It is noted that a computer system manages, in real time, applications and services that are being used by a user.

Thus, it would have been obvious to have means for managing, in real time, the various services activated for the user in the disclosure of RFC2778.

The suggestion/motivation for doing so would have been that managing services in real time on a user's computer system allows the computer system to be responsive to changing conditions in the services, and thus allows the computer to execute the services in an efficient manner.

21. With regard to claim 21, RFC2778 as modified by Liscano teaches the invention as substantially claimed but does not expressly disclose that the plurality of telecommunications terminals is selected from the group consisting of: a personal computer, a personal digital assistant (PDA), a cellular telephone, and a wire telephone.

However, Official Notice is taken that personal computers for instant messaging were very well known in the art.

Thus, it would have been obvious to utilize a personal computer as the telecommunications terminal of RFC2778.

The suggestion/motivation for doing so would have been that RFC2778 was most likely drafted with a personal computer in mind, and a person of ordinary skill in the art would have recognized that a personal computer would most likely be utilized by the user for the disclosure of RFC2778.

Claim Rejections - 35 USC § 103

22. Claims 24-27 are rejected under 35 U.S.C. 103(a) as being unpatentable over RFC2778 in view of Liscano, and further in view of Parson et al. in US 2002/0085701, hereafter referred to as "Parsons."

23. With regard to claim 24, RFC2778 as modified by Liscano the invention as substantially claimed except that the defining comprises defining a plurality of user profiles.

However, Parsons discloses a method that allows a user to define different profiles that define the communication and messaging options presented to incoming callers in each presence context (Parsons: Paragraph [0010]). The contexts include states such as "at the desk," "business travel," etc. (Parsons: Paragraph [0046]). They have the function of presenting different statuses for different devices based on the status associated with the profile.

Accordingly, it would have been obvious to utilize the multiple profiles of Parsons with the presence information of RFC2778.

The suggestion/motivation for doing so would have been that having multiple profiles allows a user to easily modify the status of a plurality of devices based on the user's specific status. For example, when a user is in a meeting, the system would set up a users devices to be in a meeting, where only text messages and e-mail may be marked as being online, but phone may be labeled as being offline. When the meeting ends, rather than the user changing the status of each of the three communication means separately, the user can instead change the status to another status, such as "at the desk," where all three means may be marked as being online. Further, having the statuses of each device change based on the user's current context, the user is less likely to forget to change the status of one device, thus resulting in a missed communication or other problems (such as a mobile phone call while in a meeting.).

Art Unit: 2444

24. With regard to claim 25, RFC2778 as modified by Liscano and Parsons, and applied to claim 24, above, teaches the invention as substantially claimed except the plurality of user profiles include a personal profile and a professional profile.

However, Parsons does disclose that some of the profile options includes "off duty" and "at desk" (Parsons: Paragraph [0046]). Thus, the user's profiles correspond to at least business hour profiles (professional profiles) and off duty profiles (personal profiles).

Thus, it would have been obvious to utilize the personal and professional profiles of Parsons with the method of RFC2778.

The suggestion/motivation for doing so would have been that during professional hours, the user may wish to not be interrupted except by family members, and focus on work, while during personal time, the user may wish to have all non-business contacts able to call, but be marked offline for business contacts, thus allowing the user to separate their personal and professional lives, and not be interrupted in one or the other. Thus, by allowing the user to switch to a personal mode or professional mode allows the user to utilize the same devices (e.g. mobile phone or text messaging) at all times, and easily switch from being at work to being at home.

25. With regard to claims 26-27, the instant claims are substantially similar to claims 24-25, and are rejected for substantially similar reasons.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Scott Christensen whose telephone number is (571)270-1144. The examiner can normally be reached on Monday through Thursday 6:30AM - 4:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, William Vaughn can be reached on (571) 272-3922. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/S. C./
Examiner, Art Unit 2444
/William C. Vaughn, Jr./

Supervisory Patent Examiner, Art Unit 2444